

AMENDMENTS TO THE CLAIMS

1-15. (Canceled).

16. (Currently Amended) A recording device, comprising:

an imaging sensor capturing a still image;

a still image recording portion recording at least one[[a]] still image captured by the
imaging sensor;

a video recording portion recording a video;

an information recording portion recording information on a correspondence between the
still image recorded by said still image recording portion and the video recorded by said video
recording portion;

a digital network interface digitally bi-directionally communicating with an external
apparatus;

a command executing portion interpreting a command received from the external
apparatus through said digital network interface and selectively transmitting one or a plurality of
the still image, the video and the information respectively recorded by said still image recording
portion, said video recording portion and said information recording portion through said digital
network interface; and

a still image producing portion producing a still image by cutting out the still image to be
recorded in the still image recording portion from the video recorded by said video recording
portion at the start of video recording and every time a prescribed period of time is elapsed
thereafter, wherein

said still image recording portion records the still image as a digital file,
when a still image transfer command including a still image file name is received from the external apparatus, said command executing portion selectively transmits the still image based on the still image file name,
the at least one still image captured by the imaging sensor is captured during a time when no video is recorded,
the information recording portion sets the correspondence of the at least one still image captured by the imaging sensor during the time when no video is recorded to correspond to a start of a video recorded immediately after said still image is captured, and
when a video transfer command including a video file name is received from the external apparatus, said command executing portion selectively transmits the video based on the video file name.

17. (Previously Presented) The recording device according to claim 16, wherein said command executing portion transmits the still image and the information respectively recorded by said still image recording portion and said information recording portion through said communicating portion when a still image transfer command is received through said communicating portion.

18. (Previously Presented) The recording device according to claim 17, wherein said command executing portion transmits the still image recorded by said still image recording portion in accordance with a Direct Printing Protocol.

19. (Previously Presented) The recording device according to claim 16, wherein said command executing portion transmits the video data recorded by said video recording portion by an Audio Visual/Control.

20. (Previously Presented) The recording device according to claim 16, wherein said information on the correspondence between the still image and the video includes information representing a reproduction position of the video.

21. (Previously Presented) The recording device according to claim 20, wherein said information representing the reproduction position of the video is designated by temporal information.

22. (Previously Presented) The recording device according to claim 20, further comprising a searching portion searching and changing a reproduction starting point of the video based on information received from the external apparatus.

23. (Canceled).

24. (Previously Presented) The recording device according to claim 16, wherein said still image producing portion produces and records information on a correspondence between the still image and the video based on information dependent on the video.

25. (Canceled).

26. (Previously Presented) A recording device, comprising:

a still image recording portion recording a still image;

a video recording portion recording a video;

an information recording portion recording information on a correspondence between the still image recorded by said still image recording portion and the video recorded by said video recording portion;

a digital network interface digitally bi-directionally communicating with an external apparatus;

a command executing portion interpreting a command received from the external apparatus through said digital network interface and selectively transmitting one or a plurality of the still image, the video and the information respectively recorded by said still image recording portion, said video recording portion and said information recording portion through said digital network interface; and

a still image producing portion producing a still image by cutting out the still image to be recorded in the still image recording portion from the video recorded by said video recording portion at the start of video recording and every time a prescribed period of time is elapsed thereafter, wherein

said still image producing portion cuts out and records the still image as a digital file by detecting a switching of a sound multiplex mode,

when a still image transfer command including a still image file name is received from the external apparatus, said command executing portion selectively transmits the still image based on the still image file name, and

when a video transfer command including a video file name is received from the external apparatus, said command executing portion selectively transmits the video based on the video file name.

27. (Previously Presented) The recording device according to claim 16, wherein said still image recording portion, said video recording portion or said information recording portion records information on a recording medium which allows random access.

28-41. (Canceled).

42. (Previously Presented) The recording device according to claim 16, wherein each of the still image, the video and the information on the correspondence between the still image and the video is transmitted by at least two different kinds of communication protocols or at least two different kinds of command sets.

43. (Canceled).